

## Safety data sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date: 2/26/2023 Reviewed on: 2/26/2023

## 1. Identification

**Product identifier** 

**Trade name** Calcined Dry: Kaocal, Kaorock

**CAS Number** 92704-41-1

**Synonyms** No Information available.

**Recommended use of the**No further relevant information available.

chemical and restrictions on use

Product description Mineral pigment, or filler primarily used in paper, paper coating, paints, rubber

and plastic formulations.

Manufacturer/Importer/Supplier/Distributor information
Manufacturer/Supplier Thiele Kaolin Company

520 Kaolin Road P.O. Box 1056

Sandersville, Georgia 31082 U.S.A.

(478) 552-3951

Email <u>SafetyDataSheet@thielekaolin.com</u>

Website Thielekaolin.com
Contact Person Andy Crabb

Emergency Telephone For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

+1 703-741-5971 / 1-800-424-9300 CCN 1010246

## 2. Hazard(s) identification

#### Classification of the substance or mixture

The product is not hazardous according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

**GHS** classification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

**Label elements** 

GHS label elements

Hazard pictograms

Non-Regulated Material.


Non-Regulated Material.

Non-Regulated Material.

Hazard statements

Non-Regulated Material.

**Classification system** NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0Reactivity = 0

Health = 0Flammability = 0 Reactivity = 0

Hazard(s) not otherwise Classified (HNOC): None known

## 3. Composition/information on ingredients

#### Chemical characterization: Substances

| <u>No</u> | <u>Chemical name</u> | CAS number | <u>%</u> |
|-----------|----------------------|------------|----------|
| 1         | Calcined Kaolin      | 92704-41-1 | 100      |

**Chemical characterization** Substance

**Dangerous Components** Non-Regulated Material

## 4. First-aid measures

## **Description of first aid measures**

**Inhalation** Supply fresh air; consult doctor in case of complaints. If large quantities are ingested, seek medical advice. Ingestion

Skin contact Wash with soap and water.

Eye contact Rinse opened eye for several minutes under running water.

## Most important symptoms/effects, both acute and delayed

Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include coughing. Discomfort in the chest and shortness of breath. Prolonged exposure may cause chronic effects.

## Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**General information** No special measures required.

## 5. Fire-fighting measures

Suitable extinguishing media CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or

alcohol resistant foam.

Unsuitable extinguishing media

Special hazards arising from the

None known.

Non-combustible, substance itself does not burn.

Protective equipment for fire-

substance or mixture

As in any fire, wear self-contained breathing apparatus pressure-demand fighters (NIOSH approved or equivalent), and full protective gear to prevent contact

with skin and eyes.

### 6. Accidental release measures

Personal precautions, protective

equipment and emergency

procedures

Wear protective equipment. Keep unprotected persons away. Avoid formation

of dust.

**Environmental precautions** 

Methods and materials for

containment and cleaning up

Reference to other sections

Do not allow to enter sewers/ surface or ground water.

Ensure adequate ventilation. Avoid the formation of dust. Dispose

contaminated material as waste according to section 13. Sweep up or vacuum

up spillage and collect in suitable container for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7. Handling and storage

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Practice good

> housekeeping to prevent the accumulation of dust in the workplace. Avoid creating and breathing airborne dust. Practice good hygiene: wash hands before eating, drinking or smoking and do not store food, eat or drink in area

where chemicals are handled. Avoid prolonged or repeated exposure.

**Conditions for safe storage Incompatible materials** 

Specific end use(s)

Store in a cool, dry place. Store in a well ventilated place.

None known.

No further relevant information available.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

No exposure limits have been published for calcined kaolin products. We recommend using the limits published for Kaolin (CAS# 1332-58-7, EC#310-194-1).

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

None of the ingredients in this product is listed.

| US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) |      |                               |  |  |  |
|---|------|-------------------------------|--|--|--|
| Components  | Туре | Value                         |  |  |  |
| Kaolin (CAS# 1332-58-7)   | TWA  | 15 mg/m³ (total dust)         |  |  |  |
|   |      | 5 mg/m³ (respirable fraction) |  |  |  |

### US. OSHA Table Z-2 (29 CFR 1910.1000)

None of the ingredients in this product is listed.

## US. OSHA Table Z-3 (29 CFR 1910.1000)

None of the ingredients in this product is listed.

| US. ACGIH Threshold Limit Values |           |   |  |  |
|----------------------------------|-----------|---|--|--|
| Components Type Value            |           | Value                                     |  |  |
| Kaolin (CAS# 1332-58-7)          | TWA (TLV) | 2 mg/m³ (no asbestos and < 1%             |  |  |
|                                  |           | crystalline silica) (respirable fraction) |  |  |

| US. NIOSH: Pocket Guide to Chemical Hazards |           |                               |  |  |  |
|---|-----------|-------------------------------|--|--|--|
| Components                                  | Туре      | Value                         |  |  |  |
| Kaolin (CAS# 1332-58-7)                     | TWA (REL) | 10 mg/m³ (total dust)         |  |  |  |
|   |           | 5 mg/m³ (respirable fraction) |  |  |  |

**Additional information:** The lists that were valid during the creation of this SDS were used as basis.

**Protective equipment** 







Provide general ventilation in processing and storage. Provide local exhaust Appropriate engineering controls

if necessary to reduce dust levels below acceptable limits.

Respiratory equipment NIOSH/OSHA or EN approved respiratory protection is recommended for use

in airborne concentrations exceeding exposure limits.

**Hand protection** Wear protective gloves. Eye protection Wear safety glasses.

Other protection Wear appropriate clothing to prevent any possibility of skin contact.

**General hygiene considerations** Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before

reuse. Wash hands before breaks and at the end of work.

## 9. Physical and chemical properties

Powder. **Appearance** Color White. Odor Odorless.

Odor threshold Not determined. pH-Value Not applicable. **Boiling point/Range** Not determined. Melting point/Range 1760 °C (3200 °F) Flash point Not applicable.

Flammability (solid, gaseous) Product is not flammable.

Ignition temperature Not determined. **Decomposition temperature** Not determined. **Auto igniting** Not determined.

**Danger of explosion** Product does not present an explosion hazard.

**Explosion limits** Not available. Not available. Lower Not available. Upper Vapor pressure Not applicable.

Relative density @ 20 °C (68 °F) 2.6 -2.75 g/cm<sup>3</sup> (21.697-22.949 lbs/gal)

Vapor density Not applicable. Not applicable. **Evaporation rate** Insoluble. Solubility (Water) Not determined.

Partition coefficient Log P o/w

(Octanol/Water)

Viscosity

Not applicable.

Percent solids by Wt 100.0 %

Other information No further relevant information available

## 10. Stability and reactivity

Reactivity No further relevant information available.

**Chemical stability** Stable under normal conditions. Possibility of hazardous No dangerous reactions known.

reactions

Thermal decomposition/ No decomposition if used according to specifications.

Conditions to avoid

Incompatible materials No further relevant information available. **Hazardous decomposition** No dangerous decomposition products known.

products

## 11. Toxicological information

Information on likely routes of exposure

Ingestion No information available. **Inhalation** No Information available. Skin contact Mild irritant effect. Eye contact Mild irritant effect. No Information available.

Symptoms related to the physical,

chemical and toxicological

characteristics

Delayed and immediate effects and also

chronic effects from short- and long-

term exposure

No Information available.

## **Numerical measures of toxicity**

No information available for calcined kaolin products. For completeness, including information published for Kaolin (CAS# 1332-58-7).

| Components             | Test                    | Species | Test Results |
|------------------------|-------------------------|---------|--------------|
| Kaolin (CAS#1332-58-7) | Oral LD <sub>50</sub>   | Rat     | >5000 mg/kg  |
|                        | Dermal LD <sub>50</sub> | Rat     | >5000 mg/kg  |

Skin corrosion/irritation No Information available. No Information available. Serious eye damage/eye irritation

Respiratory or skin sensitization

Respiratory sensitization No Information available. Skin sensitization No Information available. Germ cell mutagenicity No Information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as

listed by OSHA, IARC or NTP.

Reproductive toxicity No Information available. Specific target organ toxicity -No Information available.

single exposure

Specific target organ toxicity -No Information available.

repeated exposure

**Aspiration hazard** No Information available.

Additional toxicological information The product is not subject to classification according to internally

approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12. Ecological information

#### **Numerical measures of toxicity**

Not known to be hazardous to water.

Persistence and degradability **Bioaccumulative potential** 

Mobility in soil

Results of PBT and vPvB

assessment

Other adverse effects

No further relevant information available.

No further relevant information available. No further relevant information available.

Not applicable.

No further relevant information available.

## 13. Disposal considerations

**Disposal instructions** Must not be disposed of together with household garbage. Do not allow product

to reach sewage system.

Contaminated packaging Disposal must be made according to official regulations. Use water, if necessary

with cleansing agents.

## 14. Transport information

**UN** number

(DOT, ADN, IMDG, IATA, ADR)

**UN proper shipping name** 

(DOT, ADN, IMDG, IATA, ADR)

Transport hazard class(es)

(DOT, ADN, IMDG, IATA, ADR)

Packing group

(DOT, ADN, IMDG, IATA, ADR)

**Environmental hazards** 

Special precautions for user Transport in bulk according to Annex II of MARPOL 73/78 and the

**IBC Code Notes** 

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material

Non-Regulated Material

Not applicable.

Not applicable.

Not applicable.

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Section 355 (extremely hazardous substances)

None of the ingredients are listed.

Section 313 (TRI reporting)

None of the ingredients are listed.

# Trade name: Calcined Dry: Kaocal, Kaorock TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt.

#### **California Proposition 65**

**WARNING:** Because the raw materials for our products come from the earth, our products may contain titanium dioxide and trace amounts of naturally-occurring crystalline silica and heavy metals found on the Prop 65 list including antimony, arsenic, beryllium, cadmium, cobalt, lead, nickel, vanadium, mercury, and hexavalent chromium, which are present at levels far below those covered by the Hazard Communication Standard. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

## Carcinogenic categories

**EPA (Environmental Protection Agency)** 

None of the ingredients are listed.

#### TLV (Threshold Limit Value established by ACGIH)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients are listed.

#### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements
Hazard pictograms
Non-Regulated Material
Non-Regulated Material
Non-Regulated Material
Non-Regulated Material
Hazard statements
Non-Regulated Material

National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

## State Right to Know-RTK (Listed substances)

None of the ingredients are listed.

#### International inventories:

Australia - AICS

All ingredients are listed or exempt.

Canada -DSL

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

**Europe- EINECS** 

All ingredients are listed or exempt.

Japan- ENCS

All ingredients are listed or exempt.

Korea-ECL

All ingredients are listed or exempt.

New Zealand- NZIoC

All ingredients are listed or exempt.

Philippines – PICCS

All ingredients are listed or exempt.

Switzerland - EINECS

All ingredients are existing chemicals on EINECS.

Taiwan - TCSI

All ingredients are listed or exempt.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16. Other information

Information Sources OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

**Date of preparation / last revision** 2/26/2023

Revision 2

Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADR The European Agreement concerning the International Carriage of

Dangerous Goods by Road

ADN The European Agreement concerning the International Carriage of

Dangerous Goods by Inland Waterways

AICS Australian Inventory of Chemical Substances

CAS Chemical Abstracts Service (division of the American Chemical Society)

**DSL** Domestic substances list

DOT US Department of Transportation ECL Korea Existing Chemicals List

**EINECS** European inventory of Existing Commercial chemical Substances

ELINCSEuropean List of Notified Chemical SubstancesENCSExisting and New Chemical Substances InventoryHMISHazardous Materials Identification System (USA)

IATA International Air Transport Association

INVENTORY OF Existing Chemical Substances in China
IMDG International Maritime Code for Dangerous Goods

NDSL Non-domestic Substance List

NFPA National Fire Protection Association (USA)

**NLP** No-longer Polymers

**NZIOC** New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances

TCSI Taiwan Chemical Substance Inventory

#### Disclaimer

The information contained herein is believed to be true and accurate and is intended to meet the globally harmonized version of the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200, adopted on March 26, 2012. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or

implied, by Thiele Kaolin Company. Therefore, Thiele Kaolin Company neither makes nor implies any warranty that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. Thiele Kaolin Company cannot anticipate all conditions under which this information and our product, or the products of other manufacturers in combination with our product, may be used. It is the purchaser's/user's responsibility to ensure safe conditions for handling, storage and disposal of the product.